INDEX

Petroleum Transactions, Volume 204

(Plus References to Articles and Technical Notes Published in Journal of Petroleum Technology in 1955)

A

ACID TREATMENT OF OIL WELLS: device for determining in the field the concentration of treating acid, (Tech. Note) Nov. JPT, 57

ADAMS, R. H. and GOOCH, F. W. JR.: *Report of Operations, 1945 through 1954, Naval Petroleum Reserve No. 1, Elk Hills,* Nov. JPT, 13

AINSWORTH, W. J., and HAWKINS, M. F., JR.: *Two Errors in Pressure Meaurement Using Subsurface Gauges,* (Tech. Note) Sept. JPT, 80

AMSTUTZ, R. W., and EARLOUGHER, R. C.: *Water Source and Requirements,* (Art.) Jan. JPT, 18

ANDERSON, E. E., et al: *Locating Casing Shoe Leaks with Radioactive Argon,* 213 (Dec. JPT)

ARPS, J. J., and ROBERTS, T. G.: *Effect of Relative Permeability Ratio, Oil Gravity, and Solution Gas-Oil Ratio on Primary Recovery from Depletion Type Reservoir,* 120 (Aug. JPT)

B

BIG MUDDY FIELD: Wyoming, water flooding, field case history, Nov. JPT, 9

BIRON, J. N., and FRAZIER, B. G.: *Field Welding on Oilfield Tubular Goods,* (Art.) Sept. JPT, 29

BLUM, H. A., and MARTIN, J. L.: *Log Interpretation Problem in Low Resistivity Sands,* (Art.) Aug. JPT, 10

BOTTOM-HOLE PRESSURE: direct calculation in natural gas wells, 43 (March JPT)

BRANSON, U. S., JR.: *Discussion on Differences in Behavior of Fresh and Aged East Texas Woodbine Cores,* 91 (June JPT)

BRINE WELLS: oil pad level: location by use of cobalt-60 and Sb-124 as tracers, 213 (Dec. JPT)

BROOKS, T. P., et al.: *Fracturing at High Injection Rates, Spraberry Trend Area Field,* (Art.) May JPT, 14

BROWN, G. G., and GATES, C. F.: *Production Engineering Aspects of Shannon Reservoir, Cole Creek Field, Wyoming,* (Art.) July JPT, 19

BROWNING, W. C.: *Lignosulfonate Stabilized Emulsions in Oil Well Drilling Fluids,* (Art.) June JPT, 9

BRUNDRED, L. L., and BRUNDRED, L. L., JR.: *Economics of Waterflooding,* (Art.) Jan. JPT, 12.

BUCKLEY-LEVERETT theory on water-drive process: study by dimensionally scaled experiments, 35 (March JPT)

BUCKLES, G. L., et al.: *Well Completions for Waterflood Operations,* (Art.) Jan. JPT, 21

C

CALCULATOR: card programmed calculator (CPC), flash calculations (Art.) May JPT, 9

CALHOUN, J. C., JR., and WARREN, J. E.: *Study of Waterflood Efficiency in Oil-wet Systems,* 22 (Feb. JPT)

CALIFORNIA: Canal field, San Joaquin Valley, gas injection project, field case history, (Art.) Aug. JPT, 25

Elk Hills. *See* Elk Hills

CAMPBELL, J. L. P., et al.: *Radioactive Tracers in Oil Production Problems,* 1 (Jan. JPT)

CAMPBELL, W. M., and MARTIN, J. L.: *Displacement Logging—a New Exploratory Tool,* 233 (Dec. JPT)

CANADA: crude oil, economic behavior 8 years after discovery and predictions of future growth, (Art.) July JPT, 7

CARMAN FORMULA: validity for consolidated sands, (Tech. Note) Nov. JPT, 53

CASE HISTORIES. See Field

CASING: corrosion, external: extent, protective cathodic current required, and instrument for study, 92 (June JPT)

caused by electrochemical potentials, 66 (Apr. JPT)

current from electric log SP curves: quantitative derivation of profiles, 66 (Apr. JPT)

CAUDLE, B. H., et al.: *Encroachment of Injected Fluids beyond the Normal Well Pattern,* 79 (May JPT); *discussion,* 84, 85 (May JPT)

CEMENT SLURRIES: high strength granular sealing material (walnut shells) beneficial in cementing casing and squeeze cementing, (Art.) Aug. JPT, 15

CEMENTING: radioactive tracers for location of cement top, 5 (Jan. JPT)

CHAPMAN, A. H., and DUCE, J. T.: *Economics of the International Petroleum Industry,* (Art.) March JPT, 9

CHEEK, R. E., and MENZIE, D. E.: *Fluid Mapper Model Studies of Mobility Ratio,* (Tech. Note) Nov. JPT, 49

COLLINGWOOD, D. M., and KERN, C. P.: *Discussion on Encroachment of Injected Fluids beyond the Normal Well Pattern,* 83 (May JPT)

COMPUTATION: presenting data in usable form for machines: tables for approximating smooth curves by polynomials of degree five or lower, (Tech. Note) Dec. JPT, 43

COMPUTER: IBM, (Art.) May JPT 9

electrical analog: design for solving unsteady-state heat conduction problems of radial system containing a moving cylindrical heat source, 205 (Dec. JPT)

reservoir analyzer, Carter type, 73 (May JPT)

CONLEY, F. R., and FELSENTHAL, M.: discussion of *Analysis of Reservoir Performance k_g/k_o Curves and a Laboratory k_g/k_o Curve Measured on a Core Sample,* 240 (Dec. JPT)

CONSTRUCTION: of filled island for offshore drilling, modification program, (Art.) Dec. JPT, 13

CORNELL, DAVID: *Calculations of Stabilized Gas Well Performance Curves from Back Pressure Test Data,* (Tech. Note) May JPT, 53

CORNELL, DAVID, and SUKKAR, Y. K.: *Direct Calculation of Bottom-hole Pressures in Natural Gas Wells,* 43 (March JPT)

CORROSION: casing. *See* Casing

CORES: fresh and aged, East Texas Woodbine, differences, laboratory study, 86 (June JPT)

CPC. *See* Calculator

CRAIG, F. F., JR., et al.: *Oil Recovery Performance of Pattern Gas or Water Injection Operations from Model Tests*, 7 (Jan. JPT); *discussion*, 15 (Jan. JPT)
CRAWFORD, P. B., and LANDRUM, B. L.: *Effect of Drainhole Drilling on Production Capacity*, (Tech. Note) Feb. JPT 45
Effect of Unsymmetrical Vertical Fractures on Production Capacity, (Tech. Note) Apr. JPT, 47
CRAWFORD, P. B., et al: *Estimating Size and Shape of Vertical and Horizontal Fractures*, 175 (Oct. JPT)
CROCKETT, J. J., et al.: *Studies of the Mechanism of Paraffin Deposition and Its Control*, (Art.) Sept. JPT, 23
CROES, G. A., and SCHWARZ, N.: *Dimensionally Scaled Experiments and the Theories on the Water-drive process*, 35 (March JPT)
CULLENDER, M. H.: *Isochronal Performance Method of Determining Flow Characteristics of Gas Wells*, 137 (Sept. JPT)
CUNNINGHAM, R. A., and MURRAY, A. S.: *Effect of Mud Column Pressure on Drilling Rates*, 196 (Nov. JPT); discussion, 203 (Nov. JPT)
CURVE FITTING. *See* Computation

D

DE ANDRADE, P. V.: *Result of SP Log Interpretation*, (Tech. Note) Nov. JPT, 59
DEPLETION EQUATION: derivation and solution, 121 (Aug. JPT)
DE WITTE, LEENDERT: *Study of Electric Log Interpretation Methods in Shaly Formations*, 103 (July JPT)
DE WITTE, LEENDERT, and RADD, F. J.: *Corrosion of Oil Well Casing by Earth Currents*, 66 (Apr. JPT)
DIETZ THEORY on water-drive process: study by dimensionally scaled experiments, 35 (March JPT)
DISPLACEMENT LOGGING: detection of presence of mobile hydrocarbons in formations, laboratory and field studies, 233 (Dec. JPT)
DOUGLAS, JIM, JR., et al.: *Calculation of Unsteady-state Gas Flow within a Square Drainage Area*, 190 (Nov. JPT)
DRAINHOLES: effect on well productivity, model studies, 30 (Feb. JPT)
DRAINAGE BOUNDARIES: reservoirs at steady state, model studies, 182 (Nov. JPT)
DRILLING: drainholes effect on production capacity, model studies, (Tech. Note) Feb. JPT 45
drainholes, lateral holes, slant holes, definitions, (Art.) Feb. JPT, 11
effect on well productivity of slant holes, drainholes, and lateral holes, (Art.) Feb. JPT, 11
offshore, from filled island, 70 wells, (Art.) Dec. JPT, 13
radioactive tracers for discovery of lost circulation zones and casing leaks, 4 (Jan. JPT)
rate: effect of mud column pressure, 196 (Nov. JPT)
DRILLING FLUIDS: lignosulfonate stabilized emulsions, (Art.) June JPT, 9
DRILLING MUD: effect of column pressure on drilling rates, 196 (Nov. JPT)
DUCE, J. T. and CHAPMAN, A. H.: *Economics of the International Petroleum Industry*, (Art.) March JPT, 9
DYES, A. B.: *Discussion on Oil Recovery Performance of Pattern Gas or Water Injection*, 15 (Jan. JPT)

E

EARLOUGHER, R. C. and AMSTUTZ, R. W.: *Water Source and Requirements*, (Art.) Jan. JPT, 18
EDWARDS, J. M., and SIMPSON, A. L.: *Method for Neutron Derived Porosity Determination for Thin Beds*, 132 (Aug. JPT)
EINARSEN, C. A.: *High Strength Granular Sealing Material Increases Efficiency of Primary Cementing and Squeeze Cementing*, (Art.) Aug. JPT, 15
ELECTRIC LOGGING: displacement. *See* Displacement
ELECTRIC LOGS: interpretation for low resistivity sands, (Art.) Aug. JPT, 10
interpretation for shaly oil-bearing formations, quantitative, 103 (July JPT)
ELECTROLYTES: lignosulfonates in solution, (Art.) June JPT, 9
ELK BASIN Tensleep reservoir: pressure maintenance by inert gas injection, calculation confirms theoretical recovery, 49 (March JPT)
ELK HILLS: Naval Petroleum Reserve No. 1, report of operations 1945 through 1954, Nov. JPT, 13
ELKINS, LINCOLN F.: *Discussion on Pressure Maintenance by Inert Gas Injection in the High Relief Elk Basin Field*, 56 (March JPT)
EMULSIONS. *See* Drilling Fluids
ENERGY: world input, 1860-2050, relation of petroleum industry, (Art.) March JPT, 9
ENGLAND, A. C., JR., et al.: *Estimating Size and Shape of Vertical and Horizontal Fractures*, 175 (Oct. JPT)
ERICKSON, R. A., et al.: *Encroachment of Injected Fluids beyond the Normal Well Pattern*, 79 (May JPT); *discussion*, 84, 85 (May JPT)
EXPLORATION FOR OIL: displacement logging. *See* Displacement

F

FELSENTHAL, M., and CONLEY, F. R.: discussion of *Analysis of Reservoir Performance k_g/k_o Curves and a Laboratory k_g/k_o Curve Measured on a Core Sample*, 240 (Dec. JPT)
FIELD CASE HISTORIES: gas injection project, Canal field, California, (Art.) Aug. JPT, 25
highly volatile oil reservoir performance, 156 (Oct. JPT)
secondary recovery operations in Tijernia No. 3 Unit reservoir, May JPT, 23
Shannon reservoir, Cole Creek field, Wyoming, (Art.) July JPT, 19
FLASH CALCULATOR on International Business Machine card programmed calculator (CPC), (Art.) May JPT, 9
FLAGG, A. H., et al.: *Radioactive Tracers in Oil Production Problems*, 1 (Jan. JPT)
FLOW: gas within square drainage area, unsteady state, calculation, 190 (Nov. JPT)
heat conduction in laboratory sand column filled with a moving hydrocarbon, (Tech. Note) Dec. JPT, 45
water-oil: design and operation of models, scaling laws, 143 (Sept. JPT)
FLOWMETER: subsurface, for measuring low rates of flow, (Tech. Note) March JPT, 53
FLUID FLOW: equation applied in direct calculation of problems of vertical gas flow, 43 (March JPT)

FLUID MAPPER: mobility ratio studies, (Tech. Note) Nov. JPT, 49
FORMATION, OIL-WELL: solubility of samples in treating acid, (Tech. Note) Nov. JPT, 57
FORMATION EVALUATION: coordinated, program, advantage, (Art.) July JPT, 11
earliest recorded and subsequent developments, (Art.) Dec. JPT, 10
FORMATION FRACTURES: development and application of frac treatments in Permian Basin, 58 (Apr. JPT)
effect on waterflooding in North Texas Strawn sand, 16 (Feb. JPT)
fracture treatment. *See* Fracture Treatment
pressure induced: study of lost circulation with test cell developed at Gulf Research and Development Co., (Tech. Note) Sept. JPT, 77
size and shape of vertical and horizontal, model studies, 175 (Oct. JPT)
unsymmetrical vertical, effect on productivity, model studies, (Tech. Note) Apr. JPT, 47
FORMATION FRACTURING: fluids employed; refined oil, desirable characteristics, (Tech. Note) Dec. JPT, 39
FOSTER, G. L., et al.: *Investigation of Various Refined Oils for Formation Fracturing, (Tech. Note)* Dec. JPT, 39
FRAC METHOD of well stimulation (*see also* Formation Fractures): development and application in Permian Basin, 58 (Apr. JPT)
FRACTURE TREATMENT: high injection rates, Spraberry formation, effect on performance and economics, (Art.) May JPT, 14
FRACTURING FLUIDS: refined oils; desirable characteristics, (Tech. Note) Dec. JPT, 39
FRAZIER, B. G., and BIRON, J. N.: *Field Welding on Oilfield Tubular Goods,* (Art.) Sept. JPT, 29

G

GARTHWAITE, D. L., et al.: *Pressure Maintenance by Inert Gas Injection in the High Relief Elk Basin Field,* 49 (March JPT); *discussion,* 57 (March JPT)
GAS DRIVE (*see also* Gas Lift): five-spot pattern; predicting oil recovery in uniform sands, 7 (Jan. JPT)
GAS FLOW through porous media: unsteady state within square drainage area, calculation, 190 (Nov. JPT)
GAS INJECTION: Canal field, California, field case history, (Art.) Aug. JPT, 25
pattern injection: oil recovery, model tests, 7 (Jan. JPT)
GAS LIFT: (*see also* Gas Drive): solution gas-drive reservoirs, free piston operations, theoretical and practical aspects, (Art.) Sept. JPT, 33
GAS-OIL RATIO: solution: effect on primary recovery from depletion type reservoir, 121 (Aug. JPT)
GAS WELLS: back-pressure method of testing; isochronal determination of characteristic or true slope of curves, 137 (Sept. JPT)
stabilized performance curves, calculation from back-pressure data, (Tech. Note) May JPT, 53
temperature logs using special high-speed thermometer and locating gas producing zones, 111 (July JPT)
GATES, C. F., and BROWN, G. G.: *Production Engineering Aspects of Shannon Reservoir, Cole Creek Field, Wyoming,* (Art.) July JPT, 19
GAUGES. *See* Subsurface
GEFFEN, T. M., et al.: *Oil Recovery Performance of Pattern Gas or Water Injection Operations from Model Tests,* 7 (Jan. JPT); *discussion,* 15 (Jan. JPT)
GOOCH, F. W., JR., and ADAMS, R. H.: *Report of Operations, 1945 through 1954, Naval Petroleum Reserve No. 1, Elk Hills,* Nov. JPT, 13
GOULDY, ROLAND: *Discussion on Effects of Extensive Well Fracturing on Waterflooding in North Texas Strawn Sand,* 21 (Feb. JPT)
GRAVITY OF OIL: effect on primary recovery from depletion type reservoir, 121 (Aug. JPT)
GUYOD, HUBERT: analog model for study of displacement logging, 234 (Dec. JPT)

H

HALLER, R. W.: *Big Muddy Water Flood,* field case history, Nov. JPT, 9
HANEY, W. F., JR., et al: *Estimating Size and Shape of Vertical and Horizontal Fractures,* 175 (Oct. JPT)
HAWKINS, M. F., JR.: *Material Balances in Expansion Type Reservoirs above Bubble Point,* (Tech. Note) Oct. JPT, 49
HARMSEN, G. J.: *Concept "Hydraulic Radius" in Porous Media,* (Tech. Note) Nov. JPT, 53
HAWKINS, M. F., JR., and AINSWORTH, W. J.: *Two Errors in Pressure Measurement Using Subsurface Gauges,* (Tech. Note) Sept. JPT, 80
HAWKINS, M. F., JR., and ROEMERSHAUSER, A. E.: *Effect of Slant Hole, Drainhole, and Lateral Hole Drilling on Well Productivity,* (Art.) Feb. JPT, 11
HENDRICKSON, A. R., et al.: *Investigation of Various Refined Oils for Formation Fracturing,* (Tech. Note) Dec. JPT, 39
HUITT, J. L.: *Device for Determining Concentration of Formation Treating Acids,* (Tech. Note) Nov. JPT, 57
HURST, R. E., et al.: *Development and Application of "Frac" Treatments in the Permian Basin,* 58 (Apr. JPT)
HUTCHINSON, T. S.: *Discussion on Analysis of Reservoir Performance k_g/k_o Curves and Laboratory Curve Measured on a Core Sample,* 131 (Aug. JPT)
HYDRAULIC RADIUS: concept of use in relation to porous media, (Tech. Note) Nov. JPT, 53

I

IMAGES: method for analyzing pressure interference near a fault, 227 (Dec. JPT)
INTERNATIONAL BUSINESS MACHINES CORPORATION: *See* Calculator
INTERNATIONAL PETROLEUM INDUSTRY, economics, (Art.) March JPT, 9
ISLAND: filled for drilling, construction of first on Pacific Coast, (Art.) Dec. JPT, 13

J

JENKINS, R., and RAMEY, H. J., JR.: *Discussion on Analog Computer for Studying Heat Transfer During Thermal Recovery Process,* 211 (Dec. JPT)
JESSEN, F. W., and MILLER, J. C.: *Investigation of Use of Spectrograph for Correlation in Limestone Rock,* (Tech. Note) Feb. JPT, 41

K

KANSAS: salt-mud district: casing corrosion, relation between SP and casing currents, 66 (Apr. JPT)
KATZ, D. L., and KOBAYASHI, RIKI: *Metastable Equilibrium in the Dew Point Determination of*

Natural Gases in the Hydrate Region, (Tech. Note) Aug. JPT, 51

KERN, C. P., and COLLINGWOOD, D. M.: *Discussion on Encroachment of Injection Fluids beyond the Normal Well Pattern,* 83 (May JPT)

KOBAYASHI, RIKI, and KATZ, D. L.: *Metastable Equilibrium in the Dew Point Determination of Natural Gases in the Hydrate Region,* (Tech. Note) Aug. JPT, 51

KOHL, J., et al.: *Locating Casing Shoe Leaks With Radioactive Argon,* 213 (Dec. JPT)

KREBILL, F. K., et al.: *Pressure Maintenance by Inert Gas Injection in the High Relief Elk Basin Field,* 49 (March JPT); *discussion,* 57 (March JPT)

KOZENY FORMULA: validity for consolidated sands, (Tech. Note) Nov. JPT, 53

KRUEGER, R. F., and VOGEL, L. C.: *Analog Computer for Studying Heat Transfer During Thermal Recovery Process,* 205 (Dec. JPT); discussion, 211 (Dec. JPT)

KUNZ, K. S., and TIXIER, M. P.: *Temperature Surveys in Gas Producing Wells,* 111 (July JPT)

L

LANDERS, J. E., et al.: *External Casing Corrosion Control,* 92 (June JPT)

LANDRUM, B. L., and CRAWFORD, P. B.: *Effect of Drainhole Drilling on Production Capacity,* (Tech Note) Feb. JPT, 45

Effect of Unsymmetrical Vertical Fractures on Production Capacity, (Tech. Note) Apr. JPT, 47

LANDRUM, B. L., et al.: *Estimating Size and Shape of Vertical and Horizontal Fractures,* 175 (Oct. JPT)

LATIMER, J. R., JR., and SHEARIN, H. M., JR.: *Advantage of a Coordinated Formation Evaluation Program,* (Art.) July JPT, 11

LEAKS: underground gas storage reservoirs; locating by use of radioactive argon tracer, 213 (Dec. JPT)

LEBEAUX, J. M., and SUDDUTH, L. F.: *Theoretical and Practical Aspects of Free Piston Operation,* (Art.) Sept. JPT, 33

LEFKOVITS, H. C., and MATTHEWS, C. S.: *Studies on Pressure Distribution in Bounded Reservoirs at Steady State,* 182 (Nov. JPT)

LESTER, G. W., and NOWAK, T. J.: *Analysis of Pressure Fall-off Curves Obtained in Water Injection Wells to Determine Injective Capacity and Formation Damage,* 96 (June JPT)

LETTER SYMBOLS. *See* Symbols

LIFE, W. E., et al.: *Fracturing at High Injection Rates, Spraberry Trend Area Field,* (Art.) May JPT, 14

LIMESTONE: geologic correlation of cores by spectrographic analysis, (Tech. Note) Feb. JPT, 41

LINDNER, J. D., and ROARK, G. E.: *Effects of Extensive Well Fracturing on a Waterflood Operation in North Texas Strawn Sand,* 16 (Feb. JPT); *discussion,* 21 (Feb. JPT)

LIGNOSULFONATES as emulsifying agents: characteristics of emulsions and application to oil drilling, (Art.) June JPT, 9.

chemistry and surface active properties, (Art.) June JPT, 9

LOST CIRCULATION: pressure induced: study of fracturing with test cell developed at Gulf Research and Development Co., (Tech. Note) Sept. JPT, 77

M

MARDOCK, E. S., et al.: *Radioactive Tracers in Oil Production Problems,* 1 (Jan. JPT)

MARTIN, J. L., and BLUM, H. A.: *Log Interpretation Problem in Low Resistivity Sands,* (Art.) Aug. JPT, 10

MARTIN, J. L., and CAMPBELL, W. M.: *Displacement Logging—a New Exploratory Tool,* 233 (Dec. JPT)

MATERIAL BALANCE EQUATION: applied to expansion type reservoirs above bubble point, (Tech. Note) Oct. JPT, 49

simplified Schilthuis form, (Tech. Note) Jan. JPT, 53

MATTHEWS, C. S., and LEFKOVITS, H. C.: *Studies on Pressure Distribution in Bounded Reservoirs at Steady State,* 182 (Nov. JPT)

MATTHEWS, C. S., et al.: *Single-fluid Five-spot Floods in Dipping Reservoirs,* 160 (Oct. JPT)

MCDOWELL, J. M.: *Performance of Water Drive Reservoirs, Including Pressure Maintenance, as Determined by the Reservoir Analyzer,* 73 (May JPT)

MCGHEE, JOHN, et al.: *Wettability versus Displacement in Waterflooding in Unconsolidated Sand Columns,* 227 (Dec. JPT)

MENZIE, D. E., and CHEEK, R. E.: *Fluid Mapper Model Studies of Mobility Ratio,* (Tech. Note) Nov. JPT, 49

METHANE-WATER SYSTEMS: pressure-temperature diagram, (Tech. Note) Aug. JPT, 51

MEYER, H. I., and ORGANICK, E. I.: *Flash Calculations as Performed on the IBM Card Programmed Calculator,* (Art.) May JPT, 9

MILLER, F. G., and SEBAN, R. A.: *Conduction of Heat Incident to Flow of Vaporizing Fluids in Porous Media,* (Tech. Note) Dec. JPT, 45

MILLER, J. C., and JESSEN, F. W.: *Investigations of Use of Spectrograph for Correlation in Limestone Rock,* (Tech. Note) Feb. JPT, 41

MOBILITY RATIO: effect on areal sweepout efficiency, fluid mapper studies, (Tech. Note) Nov. JPT, 49

MODELS: electrical: displacement. *See* Displacement.

effect of slant hole, drainhole, and lateral hole drilling on well productivity, (Art.) Feb. JPT)

electrolytic tank of reservoir, study of well productivity increase from drainholes, 30 (Feb. JPT)

studies of effect of drainhole drilling on production capacity, (Tech. Note) Feb. JPT, 45

study of effect of unsymmetrical vertical fractures on production capacity, (Tech. Note) Apr. JPT, 47

study of size and shape of vertical and horizontal fractures, 175 (Oct. JPT)

fluid mapper: mobility ratio studies, (Tech. Note) Nov. JPT, 49

for study of water-oil flow: scaling laws for use in design and operation, 143 (Sept. JPT)

Pyrex cores: study of waterflood efficiency in oil-wet systems, 22 (Feb. JPT)

sandstone: tests of oil recovery from pattern gas or water injections, 7 (Jan. JPT)

tank: reservoir flow: study of pressure distribution in bounded reservoirs at steady state, 182 (Nov. JPT)

MOORE, J. M., et al.: *Development and Application of "Frac" Treatments in the Permian Basin,* 58 (Apr. JPT)

MOORE, P. L.: *Discussion on Effect of Mud Column Pressure on Drilling Rates,* 203 (Nov. JPT)

MORSE, R. A., et al.: *Oil Recovery Performance of Pattern Gas or Water Injection Operations from Model Tests,* 7 (Jan. JPT); *discussion,* 15 (Jan. JPT)

MORTADA, MOHAMED: *Practical Method for Treating Oilfield Interference in Water-drive Reservoirs,* 217 (Dec. JPT)

MUELLER, T. D., et al.: *Analysis of Reservoir Performance k_g/k_o Curves and a Laboratory k_g/k_o Curve Measured on a Core Sample,* 128 (Aug. JPT; *discussion,* 131 (Aug. JPT); 240 (Dec. JPT)

MURRAY, A. S., and CUNNINGHAM, R. A.: *Effect of Mud Column Pressure on Drilling Rates,* 196 (Nov. JPT); *discussion,* 203 (Nov. JPT)

MYERS, J. L. P., et al.: *Radioactive Tracers in Oil Production Problems,* 1 (Jan. JPT)

N

NATHAN, C. C.: *Solubility Studies on High Molecular Weight Paraffin Hydrocarbons Obtained from Petroleum Rod Waxes,* 151 (Sept. JPT)

NATURAL GAS: direct calculation of bottom-hole pressures in wells, 43 (March JPT)

in equilibrium with gas hydrates: dew point and equilibrium temperatures, differences, (Tech. Note) Aug. JPT, 51

NATURAL GAS WELLS. *See* Gas Wells

NAVAL PETROLEUM RESERVE No. 1, Elk Hills, report of operations 1945 through 1954, Nov. JPT, 13

NEUTRON LOGS. See Porosity

NEWACHECK, R. L., et al.: *Locating Casing Shoe Leaks With Radioactive Argon,* 213 (Dec. JPT)

NEWCOMBE, JACK, et al.: *Wettability versus Displacement Waterflooding in Unconsolidated Sand Columns,* 227 (Dec. JPT)

NOWAK, T. J., and LESTER, G. W.: *Analysis of Pressure Fall-off Curves Obtained in Water Injection Wells to Determine Injective Capacity and Formation Damage,* 96 (June JPT)

O

OFFSHORE DRILLING: *See* Drilling

OIL PRODUCTION: summary of technological developments from first well to present time, (Art.) Dec. JPT, 10

OIL RECOVERY: depletion equation, derivation and solution, 121 (Aug. JPT)

from depletion type reservoirs: correlation with relative permeability ratio, API gravity, and solution gas-oil ratio, 120 (Aug. JPT)

thermal: electrical analog for solving unsteady-state heat conduction problems of radial system containing a moving, cylindrical heat source, 205 (Dec. JPT)

heat conduction in laboratory sand column filled with a moving hydrocarbon, (Tech. Note) Dec. JPT, 45

OLANSEN, N. A.: *Secondary Recovery Operations in the Tijerina No. 3 Unit Reservoir,* May JPT, 23

O'QUINN, P. C., et al.: *Fracturing at High Injection Rates, Spraberry Trend Area Field,* (Art.) May JPT, 14

ORGANICK, E. I., and MEYER, H. I.: *Flash Calculations as Performed on the IBM Card Programmed Calculator,* (Art.) May JPT, 9

OSOBA, J. S., et al.: *Differences in Behavior of Fresh and Aged East Texas Woodbine Cores,* 86 (June JPT); *discussion,* 91 (June JPT)

P

PARAFFIN: high molecular weight: solubilities in hydrocarbon solvents and in chlorinated and oxygenated solvents, 151 (Sept. JPT)

PARAFFIN DEPOSITION: mechanism and prevalence, (Art.) Sept. 23

solvent response, (Art.) Sept. JPT, 23

viscosity-temperature curves, value, (Art.) Sept. JPT, 23

PEACEMAN, D. W., et al.: *Calculation of Unsteady-state Gas Flow within a Square Drainage Area,* 190 (Nov. JPT)

PERMIAN BASINS frac treatments, development and application, 58 (Apr. JPT)

West Texas: geologic correlation of limestone cores by spectrographic analysis, (Tech. Note) Feb. JPT, 41

PERRINE, R. L.: *Well Productivity Increase from Drainholes as Measured by Model Studies,* 30 (Feb. JPT)

PETROLEUM INDUSTRY: by-product developments and trends as seen by an editor, (Art.) March JPT, 14

international, economics, (Art.) March JPT, 9

PERKINS, F. M., JR., et al: *Differences in Behavior of Fresh and Aged East Texas Woodbine Cores,* 86 (June JPT); *discussion,* 91 (June JPT

PINGS, C. J., JR., and TEMPELAAR-LIETZ, W.: *Canal Field Gas Injection Project,* field case history, (Art.) Aug. JPT, 25

PISTON, free. *See* Gas Lift

POROUS MEDIA: concept *"hydraulic radius,"* (Tech. Note) Nov. JPT, 53

PRATS, M., et al.: *Single-fluid Five-spot Floods in Dipping Reservoirs,* 160 (Oct. JPT)

PRESSURE MAINTENANCE: by inert gas injection, Elk Basin Tensleep reservoir, 49 (March JPT)

PRESSURE MEASUREMENT with subsurface gauges, prevention of two errors in sealing gauge, (Tech. Note) Sept. JPT, 80

POHORILES, E. M., et al.: *New Apparatus for Studying Pressure Induced Fracturing in Reference to Lost Circulation,* (Tech. Note) Sept. JPT, 77

PRODUCTIVITY: drainholes for increasing, model studies, 30 (Feb. JPT)

effect of slant hole, drainhole, and lateral hole drilling, (Art.) Feb. JPT, 11

effect of unsymmetrical vertical formation fractures, model studies, (Tech. Note) Apr. JPT, 47

POROSITY, thin beds: determination from neutron logs: concept of drag as related to logging speed and time constant, effects of neutron source to detector spacing, and their relationships to deflection of neutron curve, 132 (Aug. JPT)

PYLES, E. E.: *First Pacific Coast Permanent Drilling Island Modified to Allow Drilling of 70 Wells,* (Art.) Dec. JPT, 13

R

RACHFORD, H. H., JR., and SCHULTZ, W. P.: *Some Useful Tables for Approximating Smooth Curves by Fifth and Lower Degree Polynomials,* (Tech. Note) Dec. JPT, 43

RACHFORD, H. H., JR., et al.: *Calculation of Unsteady-state Gas Flow within a Square Drainage Area,* 190 (Nov. JPT)

RADD, F. J., and DEWITTE, L.: *Corrosion of Oil Well*

Casing by Earth Currents, 66 (Apr. JPT)
RADIOACTIVE ARGON: tracer in locating casing shoe leaks, 213 (Dec. JPT)
RADIOACTIVE TRACERS: locating zones of permeability, 1 (Jan. JPT)
problems and successes, 1 (Jan. JPT)
safe handling, 1 (Jan. JPT)
RAMEY, H. J., JR., and JENKINS, R.: *Discussion on Analog Computer for Studying Heat Transfer During Thermal Recovery Process,* 211 (Dec. JPT)
RAMSEY, D. E., et al.: *Development and Application of "Frac" Treatments in the Permian Basin,* 58 (Apr. JPT)
RAPOPORT, L. A.: *Scaling Laws for Use in Design and Operation of Water-oil Flow Models,* 143 (Sept. JPT)
RELATIVE PERMEABILITY: effect on primary recovery from depletion type reservoir, 121 (Aug. JPT)
performance type and laboratory k_g/k_o curves for hypothetical reservoir, differences, 128 (Aug. JPT)
RESERVOIR ANALYZER: determination of performance of water-drive reservoirs, including pressure maintenance, 73 (May JPT)
RESERVOIR ENGINEERING: letter symbols, report of committee, (Art.) Jan. JPT, 37
RESERVOIR PERFORMANCE: k_g/k_o curves for hypothetical reservoir contrasted with laboratory curve measured on core sample, 128 (Aug. JPT)
RESERVOIR PRESSURE: study for bounded reservoirs at steady state, 182 (Nov. JPT)
RESERVOIR ROCK: coordinated formation evaluation program, advantage, (Art.) July JPT, 11
RESERVOIRS: bounded: drainage area, estimating shape for each well, 182 (Nov. JPT)
case history of performance of highly volatile type, 156 (Oct. JPT)
expansion type, newly discovered, estimation of size by material balance equation, (Tech. Note) Oct. JPT, 49
RICHARDSON, J. G., et al.: *Differences in Behavior of Fresh and Aged East Texas Woodbine Cores,* 86 (June JPT); *discussion,* 91 (June JPT)
ROBERTS, T. G., and ARPS, J. J.: *Effect of Relative Permeability Ratio, Oil Gravity, and Solution Gas-oil Ratio on Primary Recovery from Depletion Type Reservoir,* 120 (Aug. JPT)
ROARK, G. E., and LINDNER, J. D.: *Effects of Extensive Well Fracturing on a Waterflood Operation in North Texas Strawn Sand,* 16 (Feb. JPT); *discussion,* 21 (Feb. JPT)
ROEMERSHAUSER, A. E., and HAWKINS, M. F., JR.: *Effect of Slant Hole, Drainhole, and Lateral Hole Drilling on Well Productivity,* (Art.) Feb. JPT, 11
RODGERS, J. K., et al.: *New Apparatus for Studying Pressure Induced Fracturing in Reference to Lost Circulation,* (Tech. Note) Sept. JPT, 77
ROSENE, R. B., et al.: *Investigation of Various Refined Oils for Formation Fracturing,* (Tech. Note) Dec. JPT, 39
RUMBLE, R. C.: *A Subsurface Flowmeter,* (Tech. Note) March JPT, 53
RZASA, M. J., et al.: *Wettability versus Displacement in Waterflooding in Unconsolidated Sand Columns,* 227 (Dec. JPT)

S

SCHWARZ, N., and CROES, G. A.: *Dimensionally Scaled Experiments and the Theories on the Water-drive Process,* 35 (March JPT)
SCHULTZ, W. P., and RACHFORD, H. H., JR.: *Some Useful Tables for Approximating Smooth Curves by Fifth and Lower Degree Polynomials,* (Tech. Note) Dec. JPT, 43
SCINTILLOMETER: determination of thickness of thin beds, 132 (Aug. JPT)
SEBAN, R. A., and MILLER, F. G.: *Conduction of Heat Incident to Flow of Vaporizing Fluids in Porous Media,* (Tech. Note) Dec. JPT, 45
SECONDARY RECOVERY: encroachment of injected fluids beyond normal well pattern, estimation, 79 (May JPT)
sweepout pattern efficiencies in area between last row of wells and reservoir boundary, laboratory study, 79 (May JPT)
Tijerina No. 3 unit reservoir, Texas, case history, May JPT, 23
SHANNON RESERVOIR, Cole Creek field, Wyoming, field case history, (Art.) July JPT, 19
SHEARIN, H. M., JR., and LATIMER, J. R., JR.: *Advantage of a Coordinated Formation Evaluation Program,* (Art.) July JPT, 11
SHOCK, D. A., et al.: *External Casing Corrosion Control,* 92 (June JPT)
SHOCK, D. A., et al.: *Studies of the Mechanism of Paraffin Deposition and Its Control,* (Art.) Sept. JPT, 23
SILICA SAND: treating with silicone polymer to produce surfaces of varying degrees of wettability, 227 (Dec. JPT)
SIMPSON, A. L., and EDWARDS, J. M.: *Method for Neutron Derived Porosity Determination for Thin Beds,* 132 (Aug. JPT)
SLOBOD, R. L., et al.: *Encroachment of Injected Fluids beyond the Normal Well Pattern,* 79 (May JPT; *discussion,* 84, 85 (May JPT)
SP LOG: water wells in Brazil, interpretation, (Tech. Note) Nov. JPT, 59
SP PROFILE: quantitative derivation, 66 (Apr. JPT)
SPECTROGRAPHIC ANALYSIS: geologic correlation of limestone cores from wells in Permian Basin of West Texas, (Tech. Note) Feb. JPT, 41
value in studying various phases of sedimentation, (Tech. Note) Feb. JPT, 41
SPRABERRY TREND AREA FIELD: fracture treatment at high injection rates, (Art.) May JPT, 14
STEWART, F. M., et al.: *Pressure Maintenance by Inert Gas Injection in the High Relief Elk Basin Field,* 49 (March JPT); *discussion,* 57 (March JPT)
STRAWN LIME FIELD: coordinated formation evaluation program, (Art.) July JPT, 11
STRICKLER, W. R., et al.: *Single-fluid Five-spot Floods in Dripping Reservoirs,* 160 (Oct. JPT)
SUBSURFACE GAUGES for pressure measurement: prevention of two errors in sealing gauge, (Tech. Note) Sept. JPT, 80
SUDBURY, J. D., et al.: *External Casing Corrosion Control,* 92, (June JPT)
Studies of the Mechanism of Paraffin Deposition and Its Control, (Art.) Sept. JPT, 23
SUDDUTH, L. F., and LEBEAUX, J. M.: *Theoretical and Practical Aspects of Free Piston Operation,* (Art.) Sept. JPT, 33
SUKKAR, Y. K., and CORNELL, DAVID: *Direct Calculation of Bottom-hole Pressures in Natural Gas Wells,* 43 (March JPT)
SUMAN, J. R.: *Oil Production—a Continuing Challenge,* (Art.) Dec. JPT, 10

SYMBOLS: letter, for reservoir engineering, report of committee, (Art.) Jan. JPT, 37

T

TEMPELAAR-LIETZ, W., and PINGS, C. J., JR.: Canal *Field Gas Injection Project*, field case history, (Art.) Aug. JPT, 25
TEPLITZ, A. J., et al.: *New Apparatus for Studying Pressure Induced Fracturing in Reference to Lost Circulation*, (Tech. Note) Sept. JPT, 77
TERRY, J. M., et al: *Radioactive Tracers in Oil Production Problems*, 1 (Jan. JPT)
TEXAS: North: Strawn sand, effect of formation fracturing on waterflooding, 16 (Feb. JPT)
Tijerina. *See* Tijerina.
West: Permian Basin. *See* Permian Basin
well completions for waterflooding, Permian sand, (Art.) Jan. JPT, 21
TIJERINA NO. 3 RESERVOIR, TEXAS: secondary recovery operations, case history, May JPT, 23
TIXIER, M. P., and KUNZ, K. S.: *Temperature Surveys in Gas Producing Wells*, 111 (July JPT)
TORREY, P. D.: *Preparation of Water for Injection into Oil Reservoirs*, (Art.) Apr. JPT, 9
TRACERS: radioactive. *See* Radioactive
TRACY, G. W.: *Simplified Form of the Material Balance Equation*, (Tech. Note) Jan. JPT, 53
TWAITS, W. O.: *Canadian Oil at the Eighth Milestone*, (Art.) July JPT, 7

V

VARJAO, PAULO DE ANDRADE: *Results of SP Log Interpretation*, (Tech. Note) Nov. JPT, 59
VOGEL, L. C., and KRUEGER, R. F.: *Analog Computer for Studying Heat Transfer During Thermal Recovery Process*, 205 (Dec. JPT); discussion, 211 (Dec. JPT)

W

WALNUT SHELLS: beneficial addition to cement slurries, (Art.) Aug. JPT, 15
WARD, T. G., JR., et al.: *Well Completions for Waterflood Operations*, (Art.) Jan. JPT, 21
WARREN, JOSEPH E., and CALHOUN, J. C., JR.: *Study of Waterflood Efficiency in Oil-wet Systems*, 22 (Feb. JPT)
WARREN, J. E., et al.: *Analysis of Reservoir Performance k_g/k_o Curves and a Laboratory k_g/k_o Curve Measured on a Core Sample*, 128 (Aug. JPT); *discussion*, 131 (Aug. JPT); 240 (Dec. JPT)
WATER DRIVE: efficiency: model displacement experiments, continuation of Engelberts and Klinkenberg series, 35 (March JPT)
WATER-DRIVE RESERVOIRS: change in pressure decline and water influx as function of rate of fluid withdrawals, as function of permeability of formation, and as function of size of aquifer, 73 (May JPT)
common aquifer: pressure interference; analog and digital computations, 217 (Dec. JPT)
analysis by charts based on principle of superposition, 217 (Dec. JPT)
near a fault, use of method of images, 217 (Dec. JPT)
Woodbine formation, 217 (Dec. JPT)
position of water injection wells with reference to oil-water contact, 73 (May JPT)
pressure maintenance, effect on rate of natural water influx, 73 (May JPT)
WATERFLOODING: Big Muddy field, Wyoming, field case history, Nov. JPT, 9
economics, Expected Gross Revenue less Summation of Computed Acquisition Costs, Costs of Development, and Operating Costs (over life of flood) equals Estimated Gross Profit, (Art.) Jan. JPT, 12
effect of formation fracturing in North Texas Strawn sand, 16 (Feb. JPT)
efficiency in oil-wet systems: study with Pyrex cores, 22 (Feb. JPT)
essentials for success, engineering, experience, economics, (Art.) Jan. JPT, 12
five-spot pattern: predicting oil recovery in uniform sands, 7 (Jan. JPT)
single fluid in dipping reservoirs, 160 (Oct. JPT)
mobility ratio effect on areal sweepout efficiency, fluid mapper studies, (Tech. Note) Nov. JPT, 49
pattern water injection: oil recovery, model tests, 7 (Jan. JPT)
preparation of water: design and operation of plants, (Art.) Apr. JPT, 17
methods, objects, and results, (Art.) Apr. JPT, 9
radioactive tracers, problems and successes, 1 (Jan. JPT)
theories evaluated by dimensionally scaled experiments, 35 (March JPT)
unconsolidated sand: wettability versus displacement, laboratory study, 227 (Dec. JPT)
water: calculation of requirements, selection and development of source, (Art.) Jan. JPT, 18
well completion for injection and producing wells, Permian sand, West Texas, (Art.) Jan. JPT, 21
WATER INJECTION WELLS: pressure fall-off curves: general characteristics, 96 (June JPT)
theoretical quantitative analysis and application of theory to field data, 96 (June JPT)
WATER WELLS: Brazil, SP log interpretation, (Tech. Note) Nov. JPT, 59
WATKINS, J. W.: *Design and Operation of Plants for Preparation of Water for Injection into Oil Reservoirs*, (Art.) Apr. JPT, 17
WATSON, M. S., JR., et al.: *Well Completions for Waterflood Operations*, (Art.) Jan. JPT, 21
WELDING: at rig site: five categories discussed, (Art.) Sept. JPT, 29
field: technique all important on steels used for oilfield tubular goods, (Art.) Sept. JPT, 29
WELL COMPLETION: for injection and producing wells, Permian sand, West Texas, (Art.) Jan. JPT, 21
radioactive tracers for cement top location, 5 (Jan. JPT)
WEST, W. J., et al: *Analysis of Reservoir Performance k_g/k_o Curves and a Laboratory k_g/k_o Curve Measured on a Core Sample*, 128(Aug. JPT); *discussion*, 131 (Aug. JPT); 240 (Dec. JPT)
WILLSON, C. O.: *Some Sidelights in Petroleum's Economic Progress*, (Art.) March JPT, 14
WOLF, ALEXANDER: *Discussion on Encroachment of Injection Fluids beyond the Normal Well Pattern*, 84 (May JPT)
WOODBINE FORMATION, East Texas: pressure interference, 217 (Dec. JPT)
WOODS, R. W.: *Case History of Reservoir Performance of Highly Volatile Type Oil Reservoir*, 156 (Oct. JPT)
WYOMING: Big Muddy field, waterflooding, field case history, Nov. JPT, 9
Shannon reservoir. *See* Shannon ★★★

AIME, PETROLEUM BRANCH MAJOR MEETING SCHEDULE

1956—Feb. 19-23, Annual AIME Meeting, Hotel Statler, New York City.

1956—March 29-30, "Petroleum Conference, Economics and Valuation," Statler-Hilton Hotel, Dallas.

1956—May 14-15, "Formation Fracturing Symposium," Wichita, Kans.

1956—May 17-18, Joint Meeting of Rocky Mountain Petroleum Sections of AIME, Gladstone Hotel, Casper, Wyo.

1956—Nov. 19-20, "North Texas Secondary Recovery Symposium," Wichita Falls, Tex.

1956—Oct. 14-17, Petroleum Branch Fall Meeting, Biltmore Hotel, Los Angeles.

1957—Feb. 24-28, Annual AIME Meeting, New Orleans.

1957—Oct. 6-9, Petroleum Branch Fall Meeting, Dallas.

1958—Feb. 16-20, Annual AIME Meeting, Hotel Statler, New York City.

1958—Oct. 12-15, Petroleum Branch Fall Meeting, Houston.

1959—Feb. 15-19, Annual AIME Meeting, San Francisco.

1959—Oct. 11-14, Petroleum Branch Fall Meeting, Dallas (tentative).

1960—Feb. 14-18, Annual AIME Meeting, Hotel Statler, New York City.

1961—Feb. 19-23, Annual AIME Meeting, St. Louis.

1962—Feb., Annual AIME Meeting, New York City.

1963—Feb. 17-22, Annual AIME Meeting, Dallas.



Capillary Pressure Cells

INSTRUMENTS for the Oil Industry

CORE ANALYSIS and

RESERVOIR ENGINEERING

Production model instruments or custom designed laboratory installations

Ruska Instrument Corporation

4607 MONTROSE BLVD. HOUSTON 6, TEXAS

ADVERTISERS' INDEX

Baker Oil Tools, Inc. 27
Martin-Ripley Adv., Los Angeles

Baash-Ross Tool Co. 29
Dozier, Eastman and Co., Los Angeles

B & W, Inc. 26
Brennan Adv. Agency, Houston

Byron Jackson Service, Inc., Subsidiary of Borg-Warner Corp. 28, 32
Ramsey, Brown & Co. Adv., Los Angeles

Chemical Process Co., The 25
Dan Goodrich Adv., Dallas

Core Laboratories, Inc. 48
Duvall Williams Adv., Dallas

Dresser Industries, Inc. 4, 5
Don L. Baxter, Inc., Adv. Agency, Dallas

Dowell Incorporated 8
MacManus, John & Adams, Inc., Adv., Bloomfield Hills, Mich.

Geolograph Co., The 38
Lowe Runkle Co. Adv., Oklahoma City

Guiberson Corp. 21
Rogers & Smith Adv., Dallas

Halliburton Oil Well Cementing Co. 1, 17
Hill & Christopher Adv., Los Angeles

Harbison-Fischer Mfg. Co. 24
Dan Goodrich Adv., Dallas

Hydril Co. 22
Ramsey, Brown & Co. Adv., Los Angeles

Johnston Testers, Inc. 19
Bruce B. Brewer & Co., Kansas City, Mo.

Lane-Wells Co. . . . . Fourth Cover
Darwin H. Clark Co. Adv., Los Angeles

Lufkin Foundry & Machine Co. 6
A. E. Cudlipp, Lufkin

Magnet Cove Barium Corp. . . . . Third Cover
Rives, Dyke & Co. Adv., Houston

McCullough Tool Co. 20
Raymond O. Perry Adv., Los Angeles

Oil Center Tool Co. 2
Rives, Dyke & Co. Adv., Houston

Otis Pressure Control, Inc. 31
Dan Goodrich Adv., Dallas

Perforating Guns Atlas Corp. 30
Brinley Adv. Agency, Bellaire, Tex.

Petroleum Service & Research Corp. 7
Cusick-Schwerke & Wild, San Antonio

Professional Services 36, 37

Ruska Instrument Corp. 1A
Brennan Adv. Agency, Houston

Schlumberger Well Surveying Corp. . . . Second Cover
Rives, Dyke & Co. Adv., Houston

Visco Products Co., Inc. 18
Armstrong Adv. Agency, Chicago